

DIN EN 15551:2017-05 (E)

Railway applications - Railway rolling stock - Buffers

	Contents	Page
European foreword	7	
Introduction	9	
1 Scope	10	
2 Normative references	10	
3 Terms and definitions	11	
4 Classification and designation	14	
4.1 General	14	
4.2 Buffers with buffer stroke 105 mm (Categories A, B and C)	14	
4.3 Buffers with buffer stroke 110 mm	14	
4.4 Long stroke buffer 150 mm	14	
4.5 Crashworthy Buffers	15	
4.6 Interaction coupling/buffer	15	
5 Requirements	15	
5.1 General	15	
5.2 Fixing on vehicle and interchangeability	17	
5.3 Buffer dimensions	18	
5.4 Mechanical characteristics of buffers	19	
5.5 Elastic systems	20	
5.5.1 Types of elastic systems	20	
5.5.2 Static characteristics	21	
5.5.3 Dynamic characteristics	22	
5.5.4 Type testing	22	
5.6 Marking	22	
6 Housing	24	
6.1 Plunger and base	24	
6.2 Buffer head	24	
6.2.1 Materials	24	
6.2.2 Boundary dimensions	24	
6.2.3 Standard dimensions of buffer head	25	
6.3 Type and series tests	26	
7 Crashworthy buffers	28	
7.1 On wagons	28	
7.2 On other vehicles	28	
Annex A (normative) Maximum space envelope of buffer	29	
A.1 Requirements for space envelope of buffer	29	
A.1.1 Buffers for freight wagons	29	
A.1.2 Buffers for coaches	32	
A.2 Notes on the definition of envelopes for overall dimensions of Buffers for freight wagons	33	
A.2.1 General	33	
A.2.2 Study relating to definition of the envelope	34	

Annex B (normative) Mechanical characteristics of buffers - Test methods	36
B.1 General	36
B.2 Test methodology	36
B.2.1 General	36
B.2.2 Force F1	37
B.2.3 Force F2	37
B.2.4 Force F3	37
B.2.5 Force F4	37
B.2.6 Force F5	37
B.2.7 Force F6	38
B.3 Test documentation	38
Annex C (normative) Requirements for elastic systems	40
C.1 Rubber elastomer or other elastomer elastic systems	40
C.1.1 General	40
C.1.2 Metal inserts	40
C.1.3 Constituents of rubber elastomer and/or other elastomer systems	40
C.1.4 Static characteristics of the sets	42
C.1.5 Dynamic characteristics of the sets	42
C.1.6 Bonding	42
C.1.7 Marking	42
C.1.8 Inspection and tests	42
C.2 Friction spring/ring spring	44
C.2.1 Manufacturer's marks	44
C.2.2 Flexibility test	44
C.2.3 Endurance test	45
C.2.4 Static characteristics for friction spring/ring spring	45
C.2.5 Dynamic characteristics for friction spring/ring spring	45
C.3 Hydrodynamic or hydrostatic systems	45
C.3.1 General	45
C.3.2 Absorbing energy medium	46
C.3.3 Static tests of capsules	46
C.4 Combined elastic systems	46
Annex D (normative) Testing of static characteristics of buffers	47
D.1 Test principle	47
D.2 Test procedure	47
D.3 Measurements	47
Annex E (normative) Dynamic testing	48
E.1 Dynamic testing of buffer	48
E.1.1 General	48
E.1.2 Temperature effects	50
E.2 Dynamic characteristics of 105 mm stroke buffer	50
E.2.1 Test programme	50
E.2.2 Category A	52
E.2.3 Category B	52
E.2.4 Category C	53
E.2.5 Comments on the test conditions	53
E.3 Dynamic characteristics of 150 mm stroke buffer	53
E.3.1 General	53
E.3.2 Comments on test conditions	54
E.4 Dynamic characteristics of 110 mm stroke buffer	55
Annex F (normative) Endurance testing under service load for elastic system	56
F.1 Aim of the test	56
F.2 Test principle	56

F.3	Test results to be obtained	56
F.4	Test procedure	57
F.4.1	Endurance test assembly	57
F.4.2	Preliminary static test	57
F.4.3	Endurance test	58
F.4.4	Final static test	58
Annex G (normative) Endurance testing under buffering load for life-cycle simulation		59
G.1	Endurance tests for elastic systems for wagons	59
G.1.1	Aim of the test	59
G.1.2	Test principle	59
G.1.3	Test results to be obtained	59
G.1.4	Test procedure	59
G.1.5	Delivery of elastic systems	61
G.2	Endurance tests for elastic systems for coaches	62
G.2.1	General	62
G.2.2	Tests under alternating loads	62
G.2.3	Repeated buffering tests	63
G.2.4	Conditions to be observed	63
Annex H (informative) Guidelines for buffer head materials		64
H.1	Example of test program requirements for verification of buffer head materials	64
H.2	Buffer head materials	65
Annex I (normative) Calculation of the width of buffer heads		67
I.1	General	67
I.1.1	Introduction	67
I.1.2	Comments on the preparation of the formulae in this annex	67
I.1.3	Track	67
I.1.4	Vehicle	67
I.2	Data used in the calculation	68
I.3	Calculation	68
Annex J (normative) Crashworthy buffers for tank wagons		72
J.1	Requirements on crashworthy buffers	72
J.1.1	Objectives	72
J.1.2	Additional requirements	72
J.2	Test procedure for crashworthy buffers	72
Annex K (normative) Maximum space envelope of crashworthy buffers		74
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC		77
Bibliography		80
Figures		
Figure 1 --	Force-stroke diagram for stored and absorbed energy	13
Figure 2 --	Mounting of buffers with non-metallic insert or head (top view for freight wagons)	17
Figure 3 --	Fixing dimensions of 105 mm and 150 mm stroke buffers for interchangeability	18
Figure 4 --	Points of application of forces	20
Figure 5 --	Location of the mark	22
Figure 6 --	Marking	23

Figure 7 -- Boundary dimensions and minimum surface of buffer heads	25
Figure A.1 -- Dimension of the maximum space envelope of buffer - Side view	29
Figure A.2 -- Cross section A - A	30
Figure A.3 -- Cross section B - B	30
Figure A.4 -- Cross section C - C	30
Figure A.5 -- Cross section D - D	31
Figure A.6 -- Cross section E - E	31
Figure A.7 -- Cross section F - F	32
Figure A.8 -- Dimension of the buffer: Cross sections G - G, H - H, K - K and L - L	32
Figure A.9 -- Dimension of the maximum space envelope of buffer for coaches - Side view	33
Figure B.1 -- Location of measurement	36
Figure B.2 -- Tool for application of force F3	37
Figure F.1 -- Definition of heights	56
Figure F.2 -- Representation of the stored energy	57
Figure F.3 -- Endurance test under service load	58
Figure G.1 -- Determination of the buffer strokes for endurance test	60
Figure I.1 -- The position of the bogie vehicles in the track	70
Figure I.2 -- The position of the other vehicles (non bogie vehicles) in the track	71
Figure K.1 -- Dimension of the maximum space of the buffer	74
Figure K.2 -- Cross section A - A	75
Figure K.3 -- Cross section B - B	75
Figure K.4 -- Cross section C - C	75
Figure K.5 -- Cross section D - D	76
Figure K.6 -- Dimension of the buffer: Cross section E - E, F - F, G - G and H - H	76
Tables Table 1 -- Buffer stroke 105 mm	14
Table 2 -- Testing on buffers or their components	16
Table 3 -- Buffer dimensional characteristics	18
Table 4 -- Proof loads for buffers	19
Table 5 -- Static characteristics	21
Table 6 -- Standard widths of buffer heads	26
Table 7 -- Type and series tests	27

Table B.1 -- Measurement protocol (example)	39
Table C.1 -- Characteristics of the constituents	40
Table C.2 -- Nature of inspections and tests	43
Table C.3 -- Number of flexibility tests per batch of springs	45
Table C.4 -- Characteristics of absorbing energy medium	46
Table E.1 -- Standard high-sided open wagon	48
Table E.2 -- Characteristics and requirements with regard to both the test set-up and measuring and technical assessment	49
Table E.3 -- Wagons - Buffers with a stroke of 105 mm, Definition of dynamic tests	51
Table E.4 -- Definition of dynamic tests	54
Table E.5 -- Dynamic characteristics of 110 mm stroke buffers	55
Table G.1 -- Hydrodynamic buffers	62
Table G.2 -- Hydrostatic buffers	62
Table H.1 -- Verification of buffer head materials	64
Table H.2 -- List of selection of existing buffer head materials	66
Table I.1 -- Vehicle specification and valid methodology	69
Table ZA.1 -- Correspondence between this European Standard, the Commission Regulation concerning the technical specification for interoperability relating to the subsystem 'rolling stock - freight wagons' of the rail system in the European Union and repealing Commission Decision 2006/861/EC, as amended by Commission Regulation (EU) 2015/924 (published in the Official Journal L 150, 17.06.2015, p.10); and Directive 2008/57/EC	78
Table ZA.2 -- Correspondence between this European Standard, the Commission regulation (EU) No 1302/2014 of 18 November 2014 concerning the technical specification for interoperability relating to the 'rolling stock locomotives and passenger rolling stock' of the rail system in the European Union (published in the Official Journal L 356, 12.12.2014, p.228) and Directive 2008/57/EC	79